EIL

	Application No.	Applicant(s)
Notice of Allowability	10/790,760	BANIECKI ET AL.
House of Anomability	Examiner	Art Unit
	Tu-Tu Ho	2818
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to <u>Argument filed 10/03/2005</u> .		
2. The allowed claim(s) is/are <u>1-30</u> .	•	
<ul> <li>3.</li></ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	.,
	Paper No./Mail Da	ite
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's Amend	menvComment
4.  Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9.	TH .
		Tu Tu Ha Cotobor 19 2005
		Tu-Tu Ho October 18, 2005
	•	

Application/Control Number: 10/790,760 Page 2

Art Unit: 2818

## **DETAILED ACTION**

1. Applicant's Argument filed 10/03/2005 has been fully considered.

## **EXAMINER'S AMENDMENT**

- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 3. Claim 9, "according to claim 1" has been changed to:

"according to claim 8"

because claim 8 provides antecedent basis for the limitation "said adhesion layer" of claim 9.

## Allowable Subject Matter

4. Claims 1-30 are allowable over the prior art of record.

The following is an examiner's statement of reasons for allowance: The prior art of record fails to teach or render obvious a thin film capacitive element and a process for the production thereof with all exclusive limitations as recited in claims 1 and 23, comprising a substrate having applied thereon a capacitor structure constituted from a lower electrode, a dielectric layer formed on the

Art Unit: 2818

lower electrode and an upper electrode formed on the dielectric layer, said dielectric layer comprising a high dielectric constant material (HDCM) represented by the following formula (I):

$$(\mathrm{Ba}_{(1-y)(1-x)}\mathrm{Sr}_{(1-y)x}\mathrm{Y}_y)\mathrm{Ti}_{1+z}\mathrm{O}_{3+\delta}$$
 wherein  $0 < x < 1,\, 0.007 < y < 0.02,\, -1 < \delta < 0.5,\, \text{and}\,\, (\mathrm{Ba}_{(1-y)(1-x)} + \mathrm{Sr}_{(1-y)x}) \, / \, \mathrm{Ti}_{1+z} < 1.$ 

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu-Tu Ho whose telephone number is (571) 272-1778. The examiner can normally be reached on 6:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DAVID NELMS can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Application/Control Number: 10/790,760

Art Unit: 2818

Page 4

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tu-Tu Ho

October 18, 2005